Building Site Development

and soil name	Pct. of map unit	streets		Shallow excavati 	ons	 Lawns and landsca 	aping
	 			Rating class and limiting features			
40D: Fayette		Frost action Low strength Shrink-swell Slope			0.01	 Somewhat limited Slope 	0.01
41B: Sparta	100	İ	i I	 Very limited cutbanks cave 	0.90	 Somewhat limited Too sandy Droughty	 0.50 0.36
41C: Sparta	 100 	 Not limited 		 Very limited cutbanks cave 		 Somewhat limited Too sandy Droughty	 0.50 0.36
41D: Sparta				·	0.90	Too sandy	 0.63 0.50 0.36
63B: Chelsea	 95 	 Not limited 	 	 Very limited cutbanks cave		 Somewhat limited Droughty	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
63C: Chelsea	95	 Not limited 	 	 Very limited cutbanks cave		 Somewhat limited Droughty	0.53
63D: Chelsea			0.63	· =	0.90	-	 0.63 0.53
63E: Chelsea				 Very limited Slope cutbanks cave	11.00	 Very limited Slope Droughty	 1.00 0.53
63F: Chelsea		•			11.00	•	 1.00 0.53

Building Site Development

± ±	Pct. of map unit	streets	d	Shallow excavati 	ons	Lawns and landsca 	aping
	 			Rating class and limiting features			
63G: Chelsea	 95 	=		 Very limited Slope cutbanks cave	1.00	 Very limited Slope Droughty	 1.00 0.53
85: Eitzen	 95 	Frost action Flooding	11.00	 Somewhat limited Depth to saturated zone Flooding		 Somewhat limited Flooding 	 0.60
85B: Eitzen	 95 	Frost action Flooding	11.00	Flooding		 Somewhat limited Flooding 	 0.60
98: Huntsville	 95 	Frost action Flooding Low strength		 		 Somewhat limited Flooding 	 0.60
98B: Huntsville	 95 	Frost action Flooding Low strength		 		 Somewhat limited Flooding 	 0.60
118: Garwin	 	Depth to saturated zone Frost action	1.00	Depth to saturated zone 	11.00	 Very limited Depth to saturated zone 	11.00
119B: Muscatine	 95 	 Very limited Frost action Low strength Shrink-swell	 1.00 1.00 0.50	saturated zone	 0.95 	 Not limited 	1

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	Lawns and landsca - -	nping
	i I			Rating class and limiting features			
120B:	i !		i !	i I	 	i I	İ
Tama	- 95 	Frost action Low strength	1.00 1.00 0.50	Ī		Not limited - -	
120C:	l I	 	1	 		 	1
Tama	- 95 	Frost action Low strength	 1.00 1.00 0.50	1	 	Not limited 	
129B:	i				i		i
Arenzville	- 50 	Frost action Flooding Low strength		İ			 0.60
Chaseburg	- 45 	Frost action		Somewhat limited Flooding			10.60
140B: Sparta	 - 100 	 Not limited 	 		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 Not limited 	
140C: Sparta	 - 100 	 Not limited 	 	 Very limited cutbanks cave	0.90	 Not limited 	
142: Chaseburg	 - 95 	Frost action				 Somewhat limited Flooding	10.60
162B:	l	 		 			i
Downs		Frost action				Not limited - - -	
162B2: Downs	 - 90 	Frost action Low strength	 1.00 1.00 0.50	İ	 	 Not limited 	

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	streets	d	Shallow excavati	ons	 Lawns and landsca 	aping
	 			Rating class and limiting features			
162C: Downs		Frost action Low strength	 1.00 1.00 0.50	Ī		 Not limited 	
162C2: Downs		Frost action Low strength	1.00	İ		 Not limited 	
162D: Downs	 - 85 	Frost action Low strength Slope		Slope 		 Somewhat limited Slope 	0.63
162D2: Downs	 - 85 	Frost action Low strength Slope		I I	 0.63 	 Somewhat limited Slope 	 0.63
162E2: Downs	 - 85 	Frost action Low strength Slope		Slope 		 Very limited Slope 	11.00
163B: Fayette	 - 90 	Frost action Low strength	1.00	İ		 Not limited 	
163B2: Fayette	 - 90 	Frost action Low strength	 1.00 1.00 0.50	ĺ	 	 Not limited 	

Building Site Development

and soil name	Pct. of map unit	streets	d	 Shallow excavati 	ons	 Lawns and landsca 	aping
	, 			Rating class and limiting features		-	
163C: Fayette	 85 	Frost action Low strength	 1.00 1.00 0.50	Ī		 Not limited 	
163C2: Fayette	 85 	Frost action Low strength	11.00	Ī		 Not limited 	
163D: Fayette	 85 	Frost action		 	 0.63 	 Somewhat limited Slope 	 0.63
163D2: Fayette	 85 	Frost action Low strength Slope	 1.00 1.00 0.63 0.50	 	 0.63 	 Somewhat limited Slope 	 0.63
163E: Fayette	 85 	Frost action Low strength Slope		Slope 	11.00	 Very limited Slope 	1.00
163E2: Fayette	 85 	Frost action Low strength Slope	 1.00 1.00 1.00 0.50	 	1 1.00	 Very limited Slope 	1.00
163F: Fayette	 85 	 Very limited Slope Frost action Low strength Shrink-swell	 1.00 1.00 1.00 0.50		1.00	 Very limited Slope 	11.00

Building Site Development

and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	 Lawns and landsca 	ping
	 			Rating class and limiting features 		•	
163G: Fayette	 85 	Slope Frost action Low strength	 1.00 1.00 1.00 0.50	I I	 1.00 	 Very limited Slope 	1 1.00
178B: Waukee	 100 		 0.78	 Very limited cutbanks cave 	1 0.90	 Not limited 	
196B: Volney	95 		11.00	Content of large stones	11.00	stones	 0.92 0.83
	 	 	 	Depth to dense layer 	0.50 	İ	0.60 0.01
196C: Volney	 100 100 	=	1.00 	 Depth to dense		Content of large stones Droughty	 0.92 0.83
206C:	 	 	 	layer 	 	 Gravel content 	 0.01
Shullsburg	95 	. =	 1.00 	Very limited Depth to saturated zone	 1.00 	İ	 0.46
		İ	1.00 	İ	0.88	saturated zone	0.19
	 	Shrink-swell Depth to	0.50 0.19	bedrock	0.46 	 	
	 	saturated zone		 -	i i	 -	i

Building Site Development

Map symbol and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	Lawns and landscaping - -	
	 -	=		 Rating class and limiting features 		-	
210E: Boone	 95 		0.96 	Slope cutbanks cave		Slope	 0.98 0.96 0.46
210F: Boone	 - 95 	=		cutbanks cave	 1.00 0.90 0.46	Droughty	 1.00 0.98 0.46
210G: Boone	 - 95 	 Very limited Slope 		cutbanks cave		Droughty	 1.00 0.98 0.46
249C: Zwingle	 - 95 	Depth to saturated zone Low strength Shrink-swell	1.00	saturated zone Too clayey			1.00
291: Atterberry	 - 95 	Frost action 	1.00 1.00 0.19		11.00	 Somewhat limited Depth to saturated zone 	0.19
320: Arenzville	 - 95 	Frost action Flooding Low strength		I I	 0.60 	 Somewhat limited Flooding 	 0.60

Allamakee County, Iowa

and soil name	Pct. of map unit	streets	d	 Shallow excavati 	ons	 Lawns and landsca 	ping
	 	Rating class and limiting features		Rating class and limiting features		Rating class and limiting features 	
478G: Nordness	 50 	Depth to hard bedrock Slope Low strength		Too clayey			 1.00 1.00 0.49
Rock Outcrop	 40 	 Not rated 	 	 Not rated 	 	 Not rated 	
484: Lawson	 95 			saturated zone Flooding 	 1.00 0.60	1	 0.60 0.19
485: Spillville	 95 	Flooding Low strength Shrink-swell	11.00	saturated zone Flooding		 Somewhat limited Flooding 	 0.60
487B: Otter	 50 	Flooding	11.00	saturated zone Flooding		saturated zone	11.00
Worthen	 45 	Frost action	 1.00 1.00	•	 	 Not limited 	

Allamakee County, Iowa

and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	Lawns and landsca 	aping
	 	=		Rating class and limiting features		-	
490:		 		 		 	
Caneek	95 	. 4		Very limited Depth to saturated zone	 1.00 	Very limited Flooding 	11.00
	 		1.00	İ	0.80	Depth to saturated zone	11.00
	 		1.00 0.22			 	
499C:	į		İ		į		İ
Nordness	95 	=	11.00	Very limited Depth to hard bedrock	11.00	Very limited Depth to bedrock	11.00
			11.00	· • •	0.02	Droughty	0.49
499D:		 	 	 		 	
Nordness	95 	Very limited Depth to hard bedrock	11.00	Very limited Depth to hard bedrock	11.00	Very limited Depth to bedrock	11.00
	 	Low strength	1.00 0.63 0.50	Slope Too clayey	0.63	•	0.63
499D2:		 		 		 	
Nordness	95	 Very limited Depth to hard bedrock	11.00	Very limited Depth to hard bedrock	11.00	Very limited Depth to bedrock	11.00
	 	Low strength	1.00 0.63 0.50	Slope Too clayey	0.63	_	0.63
499E:		 		 		 	1
Nordness	95	· •	11.00	Very limited Depth to hard bedrock	11.00	Very limited Depth to bedrock	11.00
	 	Low strength	1.00 1.00 0.50	Slope Too clayey	11.00	-	1.00 0.49
499E2:	 	 	1	 	 	 	1
Nordness	90	Depth to hard	11.00		11.00	Very limited Depth to bedrock	11.00
	 	bedrock Low strength	1.00	bedrock Slope	11.00	 Slope	11.00
	 	Slope Shrink-swell	11.00	Too clayey	10.02	•	0.49

Building Site Development

Map symbol and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	 Lawns and landsca 	aping
	 _	Rating class and limiting features 		 Rating class and limiting features 			
499F: Nordness	 - 90			 Very limited		 	
		bedrock Slope Low strength	1.00 1.00 1.00 0.50	Too clayey		· •	11.00
499G: Nordness	 - 95 	Depth to hard bedrock Slope Low strength	 1.00 1.00 1.00 0.50	bedrock Slope Too clayey	11.00		11.00
589: Otter	 - 90 	Depth to saturated zone Frost action Flooding	1.00	Depth to saturated zone Flooding	11.00		1.00
703C: Dubuque	 - 90 	 Very limited Frost action Low strength Depth to hard bedrock Shrink-swell	 1.00 1.00 0.84 0.50	bedrock Too clayey	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	İ	 0.84
703C2: Dubuque	 - 95 	 Very limited Frost action Low strength Depth to hard bedrock Shrink-swell	 1.00 1.00 0.84 1.00	bedrock Too clayey		 Somewhat limited Depth to bedrock 	 0.84

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	 Lawns and landsca 	aping
	 _	Rating class and limiting features 		Rating class and limiting features		Rating class and limiting features 	
703D:	 	 	 	 	 	 	
Dubuque	- 95 	Very limited Frost action		Very limited Depth to hard bedrock	11.00	Somewhat limited Depth to bedrock	0.84
		Low strength Depth to hard bedrock Slope Shrink-swell	1.00 0.84 0.63 0.50	Slope Too clayey 	0.63 0.28 	•	0.63
703D2:	į į	 	 	 -	i I	 	i I
Dubuque	- 90 	Very limited Frost action	11.00	Very limited Depth to hard bedrock	11.00	Somewhat limited Depth to bedrock	0.84
		Low strength Depth to hard bedrock Slope Shrink-swell	1.00 0.84 0.63 0.50	Slope Too clayey 	0.63 0.28 	•	0.63
703E:	 	 		 		 	1
Dubuque	- 90 	Very limited Frost action	11.00	Very limited Depth to hard bedrock	11.00	Very limited Slope	11.00
		Low strength Slope Depth to hard bedrock Shrink-swell	1.00 1.00 0.84 	Slope Too clayey 	1.00 0.28 	•	0.84
703E2: Dubuque	 - 85	 Very limited Frost action	1 1.00	 Very limited Depth to hard	1 1.00	 Very limited Slope	1 1.00
		Low strength Slope Depth to hard bedrock Shrink-swell	 1.00 1.00 0.84 0.50	Too clayey 	 1.00 0.28 	•	 0.84

Building Site Development

and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	 Lawns and landsca 	aping
	 			Rating class and limiting features		-	
703F: Dubuque		=	1.00	 Very limited Depth to hard	11.00	 Very limited Slope	1
	İ	Low strength Depth to hard bedrock		Slope Too clayey 	 1.00 0.28 		 0.84
721C: Massbach	 90 	Frost action	11.00	saturated zone	 0.61 	 Not limited 	
721D:	 	Shrink-swell 	0.50 	 	 	 	
Massbach	90 	Frost action Low strength Slope	11.00	Slope Depth to saturated zone 	0.63	•	 0.63
740C: Hawick	 95 		 	 Very limited cutbanks cave 		 Very limited Droughty Too sandy	 1.00 0.50
740G: Hawick	 95 		1.00	 Very limited Slope cutbanks cave 	1.00	 Very limited Slope Droughty Too sandy	 1.00 1.00 0.50
778B: Sattre	 90 	 Not limited 		 Very limited cutbanks cave	 0.90	 Not limited 	
793B: Bertrand		Frost action Low strength	 1.00 1.00 0.50			 Not limited 	

Building Site Development

± ±	Pct. of map unit	streets		Shallow excavati 	ons	Lawns and landscaping 	
	 			Rating class and limiting features 		-	
793C: Bertrand	 90 	Frost action	 1.00 1.00 0.50	Ī		 Not limited 	
793D2: Bertrand	 95 	Frost action	 1.00 1.00 0.63 0.50	 	 0.63 	 Somewhat limited Slope 	 0.63
793E: Bertrand	 95 	Frost action Slope		Ī	1 1.00	 Very limited Slope 	11.00
826: Rowley	 95 	Frost action	1.00 1.00 0.19	saturated zone		 Somewhat limited Depth to saturated zone 	 0.19
837C: Village	 90 	Frost action Low strength		İ	 0.97 	 Not limited 	
837C2: Village		Frost action Low strength			 0.97 	 Not limited 	
837D: Village	90 	 Very limited Frost action Low strength Slope Shrink-swell	 1.00 1.00 0.63 0.50	Slope 	10.97	 Somewhat limited Slope 	 0.63

Building Site Development

and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	Lawns and landscaping 	
	 	=		Rating class and limiting features		-	
837D2: Village	 90 	Frost action Low strength Slope	 1.00 1.00 0.63 0.50	Slope		 Somewhat limited Slope 	 0.63
837E: Village	90	Frost action Slope		Too clayey 		 Very limited Slope 	1 1.00
837E2: Village	 85 	Frost action Slope Low strength	 1.00 1.00 1.00 0.50	Too clayey 	 1.00 0.97 	-	11.00
837F: Village	90	Slope Frost action Low strength		İ		 Very limited Slope 	11.00
838C2: Allamakee	90	Frost action Low strength	 1.00 1.00 0.50		1 1.00	 Not limited 	
838D: Allamakee	 90 	Frost action Low strength	1.00 1.00	Slope	 1.00 0.63 	I	 0.63
838D2: Allamakee	 90 	 Very limited Frost action Low strength Slope Shrink-swell	 1.00 1.00 0.63 0.50	Slope 	11.00	•	 0.63

Building Site Development

Map symbol and soil name	Pct. of map unit	streets			Shallow excavations -		ping
				Rating class and limiting features		-	
838E2: Allamakee	İ I	Frost action Slope Low strength	11.00	Slope Too clayey 			 1.00
840E: Lacrescent	90	Slope	1.00 0.50	Slope Content of large stones	1.00	 Very limited Slope Content of large stones 	11.00
840F: Lacrescent	1	Slope	1.00 0.50	Slope Content of large stones	1.00	 Very limited Slope Content of large stones 	11.00
840G: Lacrescent	 90 	Slope	1.00 0.50 	Slope Content of large stones	1.00		 1.00 0.03
841G: Rock Outcrop	 - 50 -	 Not rated 		 Not rated 		 Not rated 	 - - -
Boone	 35 			Slope cutbanks cave	1.00	Droughty	 1.00 0.98 0.46

Building Site Development

Map symbol and soil name	Pct. of map unit	streets	d	Shallow excavati 	Shallow excavations 		ping
	 			Rating class and limiting features			
843: Elon	 95 	 Very limited Frost action Flooding Low strength Shrink-swell		Flooding	 0.95 0.60	İ	 0.60
861D: Yellowriver	 85 	Frost action	 1.00 1.00 0.63 0.50	 	 0.63 	 Somewhat limited Slope 	0.63
861D2: Yellowriver	 90 	Frost action Low strength Slope	 1.00 1.00 0.63 0.50	i I	 0.63 	 Somewhat limited Slope 	10.63
861E: Yellowriver	 85 	 Very limited Frost action Low strength Slope Shrink-swell	 1.00 1.00 1.00 0.50	İ	 1.00 	 Very limited Slope 	11.00
861E2: Yellowriver	 90 	Frost action	 1.00 1.00 1.00 0.50	I I	1 1.00	 Very limited Slope 	11.00
861F: Yellowriver	90 1 	Slope Frost action Low strength	 1.00 1.00 1.00 0.50	I I	 1.00 	 Very limited Slope 	11.00

Building Site Development

and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	Lawns and landscaping 	
	 			Rating class and limiting features			
861G: Yellowriver	 95 	Slope Frost action Low strength	 1.00 1.00 1.00 0.50	 	 1.00 	 Very limited Slope 	1 1.00
862D: Churchtown	 90 	Frost action Low strength Slope	 1.00 1.00 0.63 0.50		 0.63 	 Somewhat limited Slope 	10.63
862D2: Churchtown	 90 	Frost action Low strength Slope		İ	 0.63 	 Somewhat limited Slope 	10.63
862E: Churchtown	 85 	Frost action Low strength Slope		Slope 	 1.00 	 Very limited Slope 	11.00
862E2: Churchtown	 85 	Frost action Low strength Slope		Slope 		 Very limited Slope 	1 1.00
862F: Churchtown	1	Slope Frost action Low strength			 1.00 	 Very limited Slope 	1.00

Building Site Development

and soil name	Pct. of map unit	streets		Shallow excavati 	ons	Lawns and landscaping 	
	 			Rating class and limiting features			
903C2: Frankville	 90 1 1 1	Frost action Low strength Shrink-swell		Too clayey	1 1.00 1 1.00 1 1 1 1 1 1 1 1 1 1 1 1 1		1 0.46
903D: Frankville	 90 	Frost action Low strength Slope Shrink-swell	1.00	Too clayey 	 1.00 	 Depth to bedrock	 0.63 0.46
903D2: Frankville	 90 	Frost action Low strength Slope Shrink-swell		bedrock Slope Too clayey 		 Depth to bedrock	 1 0.63 0.46
903E2: Frankville	İ I	Frost action Low strength Slope Shrink-swell	 1.00 1.00 1.00 0.50 0.46	bedrock Slope Too clayey 	 1.00 1.00 0.28 	 Depth to bedrock	 1.00 0.46
912C: Paintcreek	 85 	Frost action Shrink-swell	 1.00 1.00 1.00	İ	1 1.00	 Not limited 	

Building Site Development

Map symbol and soil name	Pct. of map unit	streets		Shallow excavations -		Lawns and landscaping 	
	 	 Rating class and limiting features 		Rating class and limiting features		-	
912D: Paintcreek		Frost action Shrink-swell Low strength		Too clayey Slope 	1.00	•	0.63
912D2: Paintcreek		Frost action Shrink-swell Low strength		Slope 	 1.00 0.63 	-	 0.63
912E: Paintcreek	 - 90 	Frost action Shrink-swell Slope		Too clayey 	1.00	-	11.00
912E2: Paintcreek	 - 90 	Frost action Shrink-swell Slope		İ	1.00	•	11.00
912F: Paintcreek	 - 95 	Slope Frost action Shrink-swell		Too clayey		 Very limited Slope 	1 1.00
930: Orion	 - 95 	Frost action	11.00	saturated zone Flooding	11.00	 Somewhat limited Flooding Depth to saturated zone	0.60

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	streets	d	Shallow excavati 	ons	Lawns and landsca - -	ping
	 	 Rating class and limiting features 		Rating class and limiting features		Rating class and limiting features 	
951G: Medary	 100 100 	Low strength Shrink-swell Slope	 1.00 1.00 1.00 0.50	Too clayey	 1.00 0.50	•	 1.00
977: Richwood	95	Frost action Low strength	 1.00 1.00 0.50	İ	 	 Not limited 	
977B: Richwood	 95 	Frost action	 1.00 1.00 0.50	İ		 Not limited 	
978B: Festina	 95 	Frost action	1.00	Ī		 Not limited 	
978C: Festina	 95 	 Very limited Frost action Low strength Shrink-swell	1.00	Ī		 Not limited 	
981B: Worthen	 90 	•	1 1.00	•	 	 Not limited 	
1120D: Lycurgus	 85 	Frost action Low strength Slope	 1.00 1.00 0.63 0.50	İ	 0.63 	 Somewhat limited Slope 	 0.63

Building Site Development

	Pct. of map unit	streets	d	Shallow excavati 	ons	Lawns and landscaping - -	
	 			Rating class and limiting features			
1120E: Lycurgus		Frost action Low strength Slope Shrink-swell		Slope 		 Very limited Slope 	 1.00
1120F: Lycurgus	 	 Very limited Slope Frost action Low strength	 	I I		 Very limited Slope 	1.00
1490: Caneek		Depth to saturated zone Frost action Flooding	1.00 	Depth to saturated zone Flooding 	11.00	 Very limited Flooding Depth to saturated zone	 1.00 1.00
1496: Arenzville	 	Frost action Flooding Low strength		I I	 0.80 	•	 1.00
Volney			1.00 1.00	Content of large stones	1.00 0.80	 Content of large stones Droughty 	 0.83
1496B: Arenzville	i I	Frost action Flooding Low strength		Flooding 		 Very limited	0.01 1.00

Building Site Development

and soil name	Pct. Local roads and of streets map unit		nd Shallow excavations		ons	Lawns and landscaping		
				 Rating class and limiting features 		-		
Volney	30			 Very limited Content of large stones		 Very limited Flooding	1 1.00	
		Content of large	1.00	•	0.80	Content of large stones	0.92	
		 -	 	Depth to dense layer	0.50 	Droughty 	0.83 	
		 	 	 	i I	Gravel content	0.01	
1793G: Bertrand	60	Slope Frost action Low strength	 1.00 1.00 1.00 1.00	Slope 	 1.00 	 Very limited Slope 	11.00	
Chelsea	30		 1.00		11.00		1 1.00 10.53	
2670: Ion	95	Frost action Flooding Low strength		saturated zone Flooding		 Somewhat limited Flooding 	 0.60 	
5010: Pits, Sand And Gravel	100	 Not rated 	 	 Not rated 	 	 Not rated 		
5030: Pits, Limestone Quarry	100		 	 - - Not rated -	 	 Not rated 		
5040: Orthents, Loamy	100	 Not rated 	 	 Not rated 	 	 Not rated 		

Allamakee County, Iowa

Map symbol	 Pct.	•		 Shallow excavati	ions	 Lawns and landscaping		
and soil name	of	streets		[I		
	map	I		I		I		
	unit	I				I		
		I		I		I		
		Rating class and	Value	Rating class and	Value	Rating class and	Value	
		limiting features		limiting features		limiting features		
	I		l	l	_	l		
		I		1		I		
W:		I		1		I		
Water	100	Not rated		Not rated		Not rated		
		I				[
		I				[
		I				I		
- 	!	l	.l	l	_	l	_	